



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

Holder of Attestation: **BOKE Drivers Co., Ltd.**
2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Power supplies**
(Constant Current LED Driver)

This Attestation of Conformity is issued on a voluntary basis according to the Electromagnetic Compatibility Regulations 2016 relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the regulation and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402201402

Date, 2023-08-25

(Laurent Yuan)

Page 1 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA**

TÜV®



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

Model(s):

BK-DEL030-B0800Ad; BK-DEL030-B0800AD;
BK-DEL030-B0800ADL; BK-DEL042-B1100Ad;
BK-DEL042-B1100AD; BK-DEL042-B1100ADL;
BK-DEL042-B0800Bd; BK-DEL042-B0800BD;
BK-DEL042-B0800BDL; BK-DEL060-B2000Ad;
BK-DEL060-B2000AD; BK-DEL060-B2000ADL;
BK-DEL010-B0350Ad; BK-DEL010-B0350AD;
BK-DUL010-B0350ADP; BK-DUL010-B0350ADF;
BK-DUL010-B0350AM; BK-DUL010-B0350AP;
BK-DEL010-B0350ADL; BK-DUL010-B0350ADPL;
BK-DUL010-B0350ADFL; BK-DUL010-B0350AML;
BK-DUL010-B0350APL; BK-DEL022-B0600Ad;
BK-DEL022-B0600AD; BK-DUL022-B0600ADP;
BK-DUL022-B0600ADF; BK-DUL022-B0600AM;
BK-DUL022-B0600AP; BK-DEL022-B0600ADL;
BK-DUL022-B0600ADPL; BK-DUL022-B0600ADFL;
BK-DUL022-B0600AML; BK-DUL022-B0600APL;
BK-DEL028-B0750Ad; BK-DEL028-B0750AD;
BK-DEL028-B0750AD; BK-DUL028-B0750ADP;
BK-DUL028-B0750ADF; BK-DUL028-B0750AM;
BK-DUL028-B0750AP; BK-DEL028-B0750ADL;
BK-DUL028-B0750ADPL; BK-DUL028-B0750ADFL;
BK-DUL028-B0750AML; BK-DUL028-B0750APL;
BK-DUL030-B0800ADP; BK-DUL030-B0800ADF;
BK-DUL030-B0800AM; BK-DUL030-B0800AP;
BK-DUL030-B0800ADPL; BK-DUL030-B0800ADFL;
BK-DUL030-B0800AML; BK-DUL030-B0800APL;
BK-DEL040-B1050Ad; BK-DEL040-B1050AD;
BK-DUL040-B1050ADF; BK-DUL040-B1050ADP;
BK-DUL040-B1050AM; BK-DUL040-B1050AP;
BK-DUL042-B1100ADP; BK-DUL042-B1100ADF;
BK-DUL042-B1100AM; BK-DUL042-B1100AP;
BK-DUL042-B1100ADPL; BK-DUL042-B1100ADFL;
BK-DUL042-B1100AML; BK-DUL042-B1100APL;
BK-DUL060-B2000ADP; BK-DUL060-B2000ADF;
BK-DUL060-B2000AM; BK-DUL060-B2000AP;
BK-DUL060-B2000ADPL; BK-DUL060-B2000ADFL;
BK-DUL060-B2000AML; BK-DUL060-B2000APL;
BK-DCL010-A0350AD; BK-DCL010-A0700AD;
BK-DCL010-B0350AD; BK-DCL010-B0700AD

Page 2 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**

TUV®



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

Description of

Object:

Rated Input Voltage: 200-240V AC/DC

Rated Frequency: 0/50/60Hz

Rated Input Current: See below table for details

Rated Output: See below table for details

Protection Class: II

Tested

according to:

EN IEC 55015:2019/A11:2020

EN IEC 61000-3-2:2019/A1:2021

EN 61000-3-3:2013/A2:2021

EN 61547:2009

Page 3 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA****TÜV®**



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

Model No.	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	P _{rated} (W)	U _{out} (VDC)
BK-DEL030-B0800Ad BK-DEL030-B0800AD BK-DEL030-B0800ADL	0.18	6-42	250	10.5	50
		6-42	275	11.55	
		6-42	300	12.6	
		6-42	325	13.65	
		6-42	350	14.7	
		6-42	375	15.75	
		6-42	400	16.8	
		6-42	425	17.85	
		6-42	450	18.9	
		6-42	500	21	
		6-42	550	23.1	
		6-42	600	25.2	
		6-42	650	27.3	
		6-42	700	29.4	
BK-DEL042-B1100Ad BK-DEL042-B1100AD BK-DEL042-B1100ADL	0.25	6-40	750	30	50
		6-38	800	30.4	
		6-42	450	18.9	
		6-42	475	19.95	
		6-42	500	21	
		6-42	525	22.05	
		6-42	550	23.1	
		6-42	600	25.2	
		6-42	650	27.3	
		6-42	700	29.4	
		6-42	750	31.5	
		6-42	800	33.6	
		6-42	850	35.7	
		6-42	900	37.8	
BK-DEL042-B0800Bd BK-DEL042-B0800BD BK-DEL042-B0800BDL	0.22	6-42	950	39.9	60
		6-42	1000	42	
		6-40	1050	42	
		6-38	1100	41.8	
		6-48	250	12.0	
		6-48	275	13.2	
		6-48	300	14.4	
		6-48	325	15.6	
		6-48	350	16.8	
		6-48	375	18.0	
		6-48	400	19.2	
		6-48	425	20.4	
		6-48	450	21.6	
		6-48	500	24.0	

Page 4 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

		6-48	800	38.4	
BK-DEL060-B2000Ad BK-DEL060-B2000ADL BK-DEL060-B2000ADL	0.36	6-42	800	33.6	50
		6-42	900	37.8	
		6-42	1000	42	
		6-42	1050	44.1	
		6-42	1100	46.2	
		6-42	1150	48.3	
		6-42	1200	50.4	
		6-42	1250	52.5	
		6-42	1300	54.6	
		6-42	1400	58.8	
		6-40	1500	60	
		6-38	1600	60.8	
		6-36	1700	61.2	
		6-34	1800	61.2	
		6-32	1900	60.8	
BK-DEL010-B0350Ad BK-DEL010-B0350AD BK-DEL010-B0350ADL BK-DUL010-B0350ADP BK-DUL010-B0350ADPL BK-DUL010-B0350ADF BK-DUL010-B0350ADFL BK-DUL010-B0350AM BK-DUL010-B0350AML BK-DUL010-B0350AP BK-DUL010-B0350APL	0.07	6-30	2000	60	50
		6-42	100	4.2	
		6-42	125	5.25	
		6-42	150	6.3	
		6-42	175	7.35	
		6-42	200	8.4	
		6-42	225	9.45	
		6-42	250	10.5	
		6-40	275	11.0	
		6-36	300	10.8	
		6-30	350	10.5	
BK-DEL022-B0600Ad BK-DEL022-B0600AD BK-DEL022-B0600ADL BK-DUL022-B0600ADP BK-DUL022-B0600ADPL BK-DUL022-B0600ADF BK-DUL022-B0600ADFL BK-DEL022-B0600AM BK-DEL022-B0600AML BK-DEL022-B0600AP BK-DEL022-B0600APL	0.14	6-42	225	9.45	50
		6-42	250	10.5	
		6-42	275	11.55	
		6-42	300	12.6	
		6-42	350	14.7	
		6-42	400	16.8	
		6-42	450	18.9	
		6-42	500	21.0	
		6-42	550	23.1	
		6-38	600	22.8	
BK-DEL028-B0750Ad BK-DEL028-B0750AD BK-DEL028-B0750ADL BK-DUL028-B0750ADP BK-DUL028-B0750ADPL BK-DUL028-B0750ADF BK-DUL028-B0750ADFL BK-DUL028-B0750AM BK-DUL028-B0750AML BK-DUL028-B0750AP BK-DUL028-B0750APL	0.18	6-42	300	12.6	50
		6-42	350	14.7	
		6-42	400	16.8	
		6-42	450	18.9	
		6-42	500	21.0	
		6-42	550	23.1	
		6-42	600	25.2	
		6-42	650	27.3	
		6-40	700	28.0	
		6-38	750	28.5	

Page 5 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**



China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

BK-DUL030-B0800ADP BK-DUL030-B0800ADPL BK-DUL030-B0800ADF BK-DUL030-B0800ADFL BK-DUL030-B0800AM BK-DUL030-B0800AML BK-DUL030-B0800AP BK-DUL030-B0800APL	0.18	6-42	250	10.5	50
		6-42	275	11.55	
		6-42	300	12.6	
		6-42	325	13.65	
		6-42	350	14.7	
		6-42	375	15.75	
		6-42	400	16.8	
		6-42	425	17.85	
		6-42	450	18.9	
		6-42	500	21.0	
		6-42	550	23.1	
		6-42	600	25.2	
		6-42	650	27.3	
		6-42	700	29.4	
		6-40	750	30.0	
BK-DEL040-B1050Ad BK-DEL040-B1050AD BK-DUL040-B1050ADF BK-DUL040-B1050ADP BK-DUL040-B1050AM BK-DUL040-B1050AP	0.24	6-38	800	30.4	50
		6-42	600	25.2	
		6-42	650	27.3	
		6-42	700	29.4	
		6-42	750	31.5	
		6-42	800	33.6	
		6-42	850	35.7	
		6-42	900	37.8	
		6-42	950	39.9	
		6-40	1000	40.0	
BK-DUL042-B1100ADP BK-DUL042-B1100ADPL BK-DUL042-B1100ADF BK-DUL042-B1100ADFL BK-DUL042-B1100AM BK-DUL042-B1100AML BK-DUL042-B1100AP BK-DUL042-B1100APL	0.25	6-38	1050	39.9	50
		6-42	450	18.9	
		6-42	475	19.95	
		6-42	500	21.0	
		6-42	525	22.05	
		6-42	550	23.1	
		6-42	600	25.2	
		6-42	650	27.3	
		6-42	700	29.4	
		6-42	750	31.5	
		6-42	800	33.6	
		6-42	850	35.7	
		6-42	900	37.8	
		6-42	950	39.9	
		6-42	1000	42.0	
		6-40	1050	42.0	
		6-38	1100	41.8	

Page 6 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.





China

Attestation of Conformity

No. E8AUK 089086 0209 Rev. 01

BK-DUL060-B2000ADP BK-DUL060-B2000ADPL BK-DUL060-B2000ADF BK-DUL060-B2000ADFL BK-DUL060-B2000AM BK-DUL060-B2000AML BK-DUL060-B2000AP BK-DUL060-B2000APL	0.36	6-42	800	33.6	50
		6-42	900	37.8	
		6-42	1000	42.0	
		6-42	1050	44.1	
		6-42	1100	46.2	
		6-42	1150	48.3	
		6-42	1200	50.4	
		6-42	1250	52.5	
		6-42	1300	54.6	
		6-42	1400	58.8	
		6-40	1500	60.0	
		6-38	1600	60.8	
		6-36	1700	61.2	
		6-34	1800	61.2	
BK-DCL010-A0350AD	0.066	6-32	1900	60.8	50
		6-30	2000	60.0	
		12-42	100	4.2	
		12-42	150	6.3	
		12-42	175	7.35	
		12-42	200	8.4	
		12-42	250	10.5	
BK-DCL010-A0700AD	0.066	12-39	275	10.73	35
		12-36	300	10.8	
		12-30	350	10.5	
		6-27	350	9.45	
		6-27	400	10.8	
		6-24	450	10.8	
		6-21	500	10.5	
BK-DCL010-B0350AD	0.066	6-18	550	9.9	50
		6-18	600	10.8	
		6-15	650	9.75	
		6-15	700	10.5	
		6-42	100	4.2	
		6-42	150	6.3	
		6-42	175	7.35	
BK-DCL010-B0700AD	0.066	6-42	200	8.4	35
		6-42	250	10.5	
		6-39	275	10.73	
		6-36	300	10.8	
		6-30	350	10.5	
		3-27	350	9.45	
		3-27	400	10.8	
	0.066	3-24	450	10.8	35
		3-21	500	10.5	
		3-18	550	9.9	
		3-18	600	10.8	
		3-15	650	9.75	
		3-15	700	10.5	

Page 7 of 7

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.