



Product Service

Attestation of Compliance

No. N5A 089086 0446 Rev. 00

Holder of Attestation: **BOKE Drivers Co., Ltd.**

2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Power supplies
(LED Driver)**

This Attestation of Compliance is issued on a voluntary basis and confirms the compliance with the listed electrical safety standards for electrical equipment below 50 V AC or 75 V DC, which is below the voltage limits of the Low Voltage Directive 2014/35/EU. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 651402307401

Date, 2024-02-29

(Taylor Yao)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Compliance

No. N5A 089086 0446 Rev. 00

Model(s):
 BK-DET030-C0800Ad;
 BK-DET030-C0800AD;
 BK-DWT030-A0800Ad;
 BK-DWT030-A0800AD;
 BK-DET030-C0700Ad;
 BK-DET030-C0700AD;
 BK-DWT030-A0700Ad;
 BK-DWT030-A0700AD;
 BK-DET012-A0800Ad;
 BK-DET012-A0800AD;
 BK-DWT012-A0800Ad;
 BK-DWT012-A0800AD;
 BK-DET012-A0700Ad;
 BK-DET012-A0700AD;
 BK-DWT012-A0700Ad;
 BK-DWT012-A0700AD

Brand: BOKE



Parameters:

Rated Input Voltage: 48VDC
 Rated Input Current: See below table for details
 Rated Output: See below table for details
 Protection against Electric Shock: Auto-wound
 Method of Installation: Built-in
 Type of Output: Constant current type
 tc: 100°C

Tested according to: EN 61347-2-13:2014/A1:2017
 EN 61347-1:2015/A1:2021

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Compliance

No. N5A 089086 0446 Rev. 00

Model	Rated Input Current (A) Max.	P _{rated} (W)	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)
BK-DET030-C0800Ad; BK-DET030-C0800AD; BK-DWT030-A0800Ad; BK-DWT030-A0800AD	0.69	4.20	12-42	100	48
		6.30	12-42	150	
		8.40	12-42	200	
		10.50	12-42	250	
		12.60	12-42	300	
		16.80	12-42	400	
		21.00	12-42	500	
		25.20	12-42	600	
		29.40	12-42	700	
		30.40	12-38	800	
BK-DET030-C0700Ad; BK-DET030-C0700AD; BK-DWT030-A0700Ad; BK-DWT030-A0700AD	0.67	6.30	12-42	150	
		7.35	12-42	175	
		8.40	12-42	200	
		10.50	12-42	250	
		12.60	12-42	300	
		14.70	12-42	350	
		16.80	12-42	400	
		21.00	12-42	500	
		25.20	12-42	600	
		29.40	12-42	700	
BK-DET012-A0800Ad; BK-DET012-A0800AD; BK-DWT012-A0800Ad; BK-DWT012-A0800AD	0.30	1.50	3-15	100	
		2.25	3-15	150	
		3.00	3-15	200	
		3.75	3-15	250	
		4.50	3-15	300	
		6.00	3-15	400	
		7.50	3-15	500	
		9.00	3-15	600	
		10.50	3-15	700	
		12.00	3-15	800	
BK-DET012-A0700Ad; BK-DET012-A0700AD; BK-DWT012-A0700Ad; BK-DWT012-A0700AD	0.27	2.25	3-15	150	
		2.63	3-15	175	
		3.00	3-15	200	
		3.75	3-15	250	
		4.50	3-15	300	
		5.25	3-15	350	
		6.00	3-15	400	
		7.50	3-15	500	
		9.00	3-15	600	
		10.50	3-15	700	

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.