



Product Service

Attestation of Conformity

No. E8A 089086 0172 Rev. 01

Holder of Attestation: **BOKE Drivers Co., Ltd.**
2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Power supplies**
(Dimmable Constant Current LED Driver)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402200202

Date, 2023-11-02

(Laurent Yuan)

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

**TUV®**



Product Service

Attestation of Conformity

No. E8A 089086 0172 Rev. 01

Model(s):

BK-DDL030-0800Ad; BK-DDL030-0800ADP;
BK-DDL030-0800ADF; BK-DDL042-0800Bd;
BK-DDL042-0800BDP; BK-DDL042-0800BDF;
BK-DDL042-1100Ad; BK-DDL042-1100ADP;
BK-DDL042-1100ADF; BK-DKL022-A0600AD;
BK-DKL022-A0600ADP; BK-DKL022-A0600ADF;
BK-DKL022-AxxxxADN; BK-DKL040-A1050AD;
BK-DKL040-A1050ADP; BK-DKL040-A1050ADF;
BK-DKL040-AxxxxADN
(‘xxxx’=0225-1050 indicates rated output current
(I_{rated}) 225-1050mA, in steps of 1mA)

Description of**Object:**

Rated Input Voltage: 200-240V AC/DC
Rated Frequency: 0/50/60Hz
Rated Input Current: See below table for details
Rated Output: See below table for details
Protection Class: II

**Tested
according to:**

EN IEC 55015:2019/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021
EN 61547:2009

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

**TUV®**



Product Service

Attestation of Conformity

No. E8A 089086 0172 Rev. 01

Model	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)	P _{rated} (W)
BK-DDL030-0800Ad; BK-DDL030-0800ADP; BK-DDL030-0800ADF	0.18	6-42	250	50	10.50
		6-42	275		11.55
		6-42	300		12.60
		6-42	325		13.65
		6-42	350		14.70
		6-42	375		15.75
		6-42	400		16.80
		6-42	425		17.85
		6-42	450		18.90
		6-42	500		21.00
		6-42	550		23.10
		6-42	600		25.20
		6-42	650		27.30
		6-42	700		29.40
		6-40	750		30.00
BK-DDL042-0800Bd; BK-DDL042-0800BDP; BK-DDL042-0800BDF	0.25	6-38	800	100	30.40
		6-84	250		21.00
		6-84	275		23.10
		6-84	300		25.20
		6-84	325		27.30
		6-84	350		29.40
		6-84	375		31.50
		6-84	400		33.60
		6-84	425		35.70
		6-84	450		37.80
		6-84	500		42.00
		6-76	550		41.80
		6-70	600		42.00
		6-64	650		41.60
		6-60	700		42.00
BK-DDL042-1100Ad; BK-DDL042-1100ADP; BK-DDL042-1100ADF	0.25	6-56	750	50	42.00
		6-52	800		41.60
		6-42	450		18.90
		6-42	475		19.95
		6-42	500		21.00
		6-42	525		22.05
		6-42	550		23.10
		6-42	600		25.20
		6-42	650		27.30
		6-42	700		29.40
		6-42	750		31.50
		6-42	800		33.60
		6-42	850		35.70
		6-42	900		37.80
		6-42	950		39.90
		6-42	1000		42.00
		6-40	1050		42.00
		6-38	1100		41.80

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. E8A 089086 0172 Rev. 01

BK-DKL022-A0600AD; BK-DKL022-A0600ADP; BK-DKL022-A0600ADF	0.14	24-42	225	50	9.45
		24-42	250		10.50
		24-42	275		11.55
		24-42	300		12.60
		24-42	350		14.70
		24-42	400		16.80
		24-42	450		18.90
		24-42	500		21.00
		24-40	550		22.00
		24-38	600		22.80
BK-DKL022-AxxxxADN	0.14	24-42	225-600	50	22.80
BK-DKL040-A1050AD; BK-DKL040-A1050ADP; BK-DKL040-A1050ADF	0.23	24-42	600	50	25.2
		24-42	650		27.3
		24-42	700		29.4
		24-42	750		31.5
		24-42	800		33.6
		24-42	850		35.7
		24-42	900		37.8
		24-42	950		39.9
		24-40	1000		40.0
		24-38	1050		39.9
BK-DKL040-AxxxxADN	0.23	24-42	600-1050	50	40.0

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®