



Product Service

Attestation of Conformity

No. E8A 089086 0432 Rev. 01

Holder of Attestation: **BOKE Drivers Co., Ltd.**
2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Power supplies**
(Constant Current LED Driver)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402304102

Date, 2024-04-03

(Laurent Yuan)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 089086 0432 Rev. 01

Model(s): BK-PSL042-A1100AS; BK-PSL042-B1100AS;
 BK-PSL042L-A1100AS; BK-PSL042-AxxxxA;
 BK-PSL042-BxxxxA; BK-PSL042L-AxxxxA;
 BK-PSL022-A0500AS; BK-PSL022L-A0500AS;
 BK-PSL022-AxxxxA; BK-PSL022L-AxxxxA;
 BK-PSL012L-A0300AS; BK-PSL012L-AxxxxA
 ('xxxx'=0200-1100 indicates rated output current
 (I_{rated}) 200-1100mA, in steps of 10mA)

Description of Object:

Rated Input Voltage: 200-240VAC/DC or 200-240VAC
 Rated Frequency: 0/50/60Hz or 50/60Hz
 Rated Input Current: See below table for details
 Rated Output: See below table for details
 Protection Class: II

Tested according to: EN IEC 55015:2019/A11:2020
 EN IEC 61000-3-2:2019/A1:2021
 EN 61000-3-3:2013/A2:2021
 EN IEC 61547:2023



Product Service

Attestation of Conformity

No. E8A 089086 0432 Rev. 01

Model No.	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)	P _{rated} (W) Max.
BK-PSL042-A1100AS BK-PSL042-B1100AS BK-PSL042L-A1100AS	0.24	28-42	500	54	21.00
		28-42	550		23.10
		28-42	600		25.20
		28-42	650		27.30
		28-42	700		29.40
		28-42	750		31.50
		28-42	800		33.60
		28-42	850		35.70
		28-42	900		37.80
		28-42	950		39.90
		28-42	1000		42.00
		28-40	1050		42.00
		28-38	1100		41.80
BK-PSL042-AxxxxA BK-PSL042-BxxxxA BK-PSL042L-AxxxxA	0.24	28-42	500-800	54	33.60
		28-42	810-950		39.90
		28-42	960-1000		42.00
		28-40	1010-1050		42.00
		28-38	1060-1100		41.80
BK-PSL022-A0500AS BK-PSL022L-A0500AS	0.12	28-42	300	54	12.60
		28-42	350		14.70
		28-42	400		16.80
		28-42	450		18.90
		28-42	500		21.00
BK-PSL022-AxxxxA BK-PSL022L-AxxxxA	0.12	28-42	300-500	54	21.00
BK-PSL012L-A0300AS	0.07	28-42	200	54	8.40
		28-42	250		10.50
		28-42	300		12.60
BK-PSL012L-AxxxxA	0.07	28-42	200-300	54	12.60

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.