



China

Attestation of Conformity

No. E8AUK 089086 0439 Rev. 01

Holder of Attestation: **BOKE Drivers Co., Ltd.**

2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic controlgear for LED modules
(Non-isolated Constant Current LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Electromagnetic Compatibility Regulations 2016 relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the regulation and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402305102

Date, 2024-08-28

(Laurent Yuan)

Page 1 of 4

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA**

TÜV®



China

Attestation of Conformity

No. E8AUK 089086 0439 Rev. 01

Model(s):

BK-PYN022-B0350AMV; BK-PYN022-B0350AYV;
BK-PYN042-B0350AMV; BK-PYN042-B0350AYV;
BK-PYN060-B0350AMV; BK-PYN060-B0350AYV;
BK-PYN022E-A0350AYV; BK-PYN022E-B0350AYV;
BK-PYN022E-AXXXXAYV; BK-PYN022E-BXXXXAYV;
BK-PYN042E-A0350AYV; BK-PYN042E-B0350AYV;
BK-PYN042E-AXXXXAYV; BK-PYN042E-BXXXXAYV;
BK-PYN060E-A0350AYV; BK-PYN060E-B0350AYV;
BK-PYN060E-AXXXXAYV; BK-PYN060E-BXXXXAYV;
BK-PYN080E-A0550AYV; BK-PYN080E-B0500AYV;
BK-PYN080E-AXXXXAYV; BK-PYN080E-BXXXXAYV;
BK-PYN022S-A0350AYV; BK-PYN022S-A0350AMV;
BK-PYN022S-AXXXXAYV; BK-PYN022S-AXXXXAMV;
BK-PYN022S-AXXXXAYVR; BK-PYN022S-AXXXXAMVR;
BK-PYN042S-A0350AYV; BK-PYN042S-A0350AMV;
BK-PYN042S-AXXXXAYV; BK-PYN042S-AXXXXAMV;
BK-PYN042S-AXXXXAYVR; BK-PYN042S-AXXXXAMVR;
BK-PYN060S-A0350AYV; BK-PYN060S-A0350AMV;
BK-PYN060S-AXXXXAYV; BK-PYN060S-AXXXXAMV;
BK-PYN060S-AXXXXAYVR; BK-PYN060S-AXXXXAMVR
(XXXX=0100-0550 indicates rated output current (I_{rated}) 100-550mA, in steps of 1mA)

Trade name:

BOKE



Description of Object:

Rated Input Voltage: 200-240V AC/DC
Rated Frequency: 0/50/60Hz
Rated Input Current: See below table for details
Rated Output: See below table for details
Protection against Electric Shock: Class I (with endcap); Auto-wound

Tested according to:

EN IEC 55015:2019/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A2:2021
EN IEC 61547:2023

Page 2 of 4

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.





China

Attestation of Conformity

No. E8AUK 089086 0439 Rev. 01

Model No.	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	P _{rated} (W) Max.	U _{out} (VDC)
BK-PYN022-B0350AMV; BK-PYN022-B0350AYV	0.13	39-110	200	22.00	250
		39-88	250	22.00	
		39-73	300	21.90	
		39-63	350	22.05	
BK-PYN042-B0350AMV; BK-PYN042-B0350AYV	0.24	54-140	200	28.00	250
		54-140	250	35.00	
		54-140	300	42.00	
		54-120	350	42.00	
BK-PYN060-B0350AMV; BK-PYN060-B0350AYV	0.34	100-200	200	40.00	300
		100-200	250	50.00	
		100-200	300	60.00	
		100-172	350	60.20	
BK-PYN022E-A0350AYV; BK-PYN022E-B0350AYV	0.13	39-110	200	22.00	300
		39-88	250	22.00	
		39-73	300	21.90	
		39-63	350	22.05	
BK-PYN022E-AXXXXAYV; BK-PYN022E-BXXXXAYV	0.13	39-110	100-200	11.00-22.00	
		39-88	210-250	18.48-22.00	
		39-73	260-300	18.98-21.90	
		39-63	310-340	19.53-21.42	
BK-PYN042E-A0350AYV; BK-PYN042E-B0350AYV	0.24	50-210	200	42.00	
		50-168	250	42.00	
		50-140	300	42.00	
		50-120	350	42.00	
BK-PYN042E-AXXXXAYV; BK-PYN042E-BXXXXAYV	0.24	50-210	100-200	21.00-42.00	
		50-168	210-250	35.28-42.00	
		50-140	260-300	36.40-42.00	
		50-120	310-340	37.20-40.80	
BK-PYN060E-A0350AYV; BK-PYN060E-B0350AYV	0.34	50-216	200	43.20	
		50-216	250	54.00	
		50-200	300	60.00	
		50-172	350	60.20	
BK-PYN060E-AXXXXAYV; BK-PYN060E-BXXXXAYV	0.34	50-216	100-200	21.60-43.20	
		50-216	210-250	45.36-54.00	
		50-200	260-300	52.00-60.00	
		50-172	310-340	53.32-58.48	
BK-PYN080E-A0550AYV	0.43	50-216	200	43.20	300
		50-216	250	54.00	
		50-216	300	64.80	
		50-216	350	75.60	

Page 3 of 4

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

UK
CA

TUV®



China

Attestation of Conformity

No. E8AUK 089086 0439 Rev. 01

BK-PYN080E-B0500AYV		50-200	400	80.00	
		50-177	450	79.65	
		50-160	500	80.00	
		50-146	550	80.30	
		50-216	350	75.60	
		50-200	400	80.00	
		50-177	450	79.65	
		50-160	500	80.00	
		50-216	100-350	21.60-75.60	
		50-200	360-400	72.00-80.00	
BK-PYN080E-AXXXXAYV; BK-PYN080E-BXXXXAYV		50-177	410-450	72.57-79.65	
		50-160	460-500	73.60-80.00	
		50-146	510-540	74.46-78.84	
		39-110	200	22.00	
		39-88	250	22.00	
BK-PYN022S-A0350AYV; BK-PYN022S-A0350AMV		39-72	300	21.60	
		39-63	350	22.05	
		39-110	100-200	11.00-22.00	
		39-88	210-250	18.48-22.00	
BK-PYN022S-AXXXXAYV; BK-PYN022S-AXXXXAMV;	0.13	39-72	260-300	18.72-21.60	
		39-63	310-340	19.53-21.42	
		39-110	100-200	11.00-22.00	
		39-88	210-250	18.48-22.00	
BK-PYN022S-AXXXXAYVR; BK-PYN022S-AXXXXAMVR		39-72	260-300	18.72-21.60	
		39-63	310-350	19.53-22.05	
		50-210	200	42.00	
		50-168	250	42.00	
BK-PYN042S-A0350AYV; BK-PYN042S-A0350AMV		50-140	300	42.00	
		50-120	350	42.00	
		50-210	100-200	21.00-42.00	
		50-168	210-250	35.28-42.00	
BK-PYN042S-AXXXXAYV; BK-PYN042S-AXXXXAMV;	0.24	50-140	260-300	36.40-42.00	300
		50-120	310-340	37.20-40.80	
		50-210	100-200	21.00-42.00	
		50-168	210-250	35.28-42.00	
BK-PYN042S-AXXXXAYVR; BK-PYN042S-AXXXXAMVR		50-140	260-300	36.40-42.00	
		50-120	310-350	37.20-42.00	
		50-216	200	43.20	
		50-216	250	54.00	
BK-PYN060S-A0350AYV; BK-PYN060S-A0350AMV		50-200	300	60.00	
		50-172	350	60.20	
		50-216	100-200	21.60-43.20	
		50-216	210-250	45.36-54.00	
BK-PYN060S-AXXXXAYV; BK-PYN060S-AXXXXAMV;	0.34	50-200	260-300	52.00-60.00	
		50-172	310-340	53.32-58.48	
		50-216	100-200	21.60-43.20	
		50-216	210-250	45.36-54.00	
BK-PYN060S-AXXXXAYVR; BK-PYN060S-AXXXXAMVR		50-200	260-300	52.00-60.00	
		50-172	310-350	53.32-60.20	

Page 4 of 4

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA**

TÜV®