



China

Attestation of Conformity

No. N8AUK 089086 0563 Rev. 00

Holder of Attestation: **BOKE Drivers Co., Ltd.**

2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic controlgear for LED modules
(LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Electrical Equipment (Safety) Regulations 2016 relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the regulation and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment.

For details see: www.tuvsud.com/ps-cert

Test report no.: 211-901536-000

Date, 2025-01-15

(Taylor Yao)

Page 1 of 5

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA****TUV®**



China

Attestation of Conformity

No. N8AUK 089086 0563 Rev. 00

Model(s):

BK-CTL042S-AHC1050ASW;
BK-CTL042S-AHC1050ASB;
BK-CTL042S-AHC1050ASG;
BK-DSL042S-AHC1050ADNW;
BK-DSL042S-AHC1050ADNB;
BK-DSL042S-AHC1050ADNG;
BK-DTL042S-AHC1050ADNW;
BK-DTL042S-AHC1050ADNB;
BK-DTL042S-AHC1050ADNG;
BK-DSL042S-AHC1050ADPW;
BK-DSL042S-AHC1050ADPB;
BK-DSL042S-AHC1050ADPG;
BK-DTL042S-AHC1050ADPW;
BK-DTL042S-AHC1050ADPB;
BK-DTL042S-AHC1050ADPG;
BK-PTL030S-AHC0700ASW;
BK-PTL030S-AHC0700ASB;
BK-PTL030S-AHC0700ASG;
BK-PTL042S-AHC1050ASW;
BK-PTL042S-AHC1050ASB;
BK-PTL042S-AHC1050ASG

Brand:**BOKE**

Page 2 of 5

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA****TUV®**



China

Attestation of Conformity

No. N8AUK 089086 0563 Rev. 00

Parameters:

Rated Input Voltage: 200-240V AC/DC

Rated Frequency: 0/50/60Hz

Rated Input Current: See below table for details

Rated Output: See below table for details

Protection against Electric Shock: Class II; SELV

Degree of Protection: IP20

Method of Installation: Independent

Type of Output: Constant current type

ta: 45°C

tc: See below table for details

Compatible Track: See below table for details

Tested according to:

EN 61347-2-13:2014/A1:2017

EN 61347-1:2015/A1:2021

EN 62493:2015/A1:2022

Page 3 of 5

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA****TUV®**



China

Attestation of Conformity

No. N8AUK 089086 0563 Rev. 00

Model	Rated Input Current (A) Max.	P _{rated} (W) Max.	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)	tc (°C)	Compatible Track
BK-CTL042S-AHC1050ASW; BK-CTL042S-AHC1050ASB; BK-CTL042S-AHC1050ASG	0.25	12.60	10-42	300	55	85	PRO-0410; 25-XX-Y; 26-XX-Y; 19-XX-Y; PRO-04XX-Y; PRO-R4XX-Y; JB4; XTS4200-2
		14.70	10-42	350			
		16.80	10-42	400			
		18.90	10-42	450			
		21.00	10-42	500			
		23.10	10-42	550			
		25.20	10-42	600			
		27.30	10-42	650			
		29.40	10-42	700			
		31.50	10-42	750			
		33.60	10-42	800			
		35.70	10-42	850			
		37.80	10-42	900			
BK-DSL042S-AHC1050ADNW; BK-DSL042S-AHC1050ADNB; BK-DSL042S-AHC1050ADNG; BK-DTL042S-AHC1050ADNW; BK-DTL042S-AHC1050ADNB; BK-DTL042S-AHC1050ADNG	0.25	42.00	10-42	150-1050	59	85	PRO-0410; 25-XX-Y; 26-XX-Y; 19-XX-Y; PRO-04XX-Y; PRO-R4XX-Y; JB4; XTS4200-2
BK-DSL042S-AHC1050ADPW; BK-DSL042S-AHC1050ADPB; BK-DSL042S-AHC1050ADPG; BK-DTL042S-AHC1050ADPW; BK-DTL042S-AHC1050ADPB; BK-DTL042S-AHC1050ADPG	0.25	12.60	10-42	300	59	85	PRO-0610; PRO-06XX-Y; PRO-R6XX-Y; JB6; XTS6200-2
		14.70	10-42	350			
		16.80	10-42	400			
		18.90	10-42	450			
		21.00	10-42	500			
		23.10	10-42	550			
		25.20	10-42	600			
		27.30	10-42	650			
		29.40	10-42	700			
		31.50	10-42	750			
		33.60	10-42	800			
		35.70	10-42	850			
		37.80	10-42	900			
BK-PTL030S-AHC0700ASW; BK-PTL030S-AHC0700ASB; BK-PTL030S-AHC0700ASG	0.164	6.30	10-42	150	55	75	PRO-0410; 25-XX-Y; 26-XX-Y; 19-XX-Y;
		8.40	10-42	200			
		10.50	10-42	250			
		12.60	10-42	300			
		14.70	10-42	350			
		16.80	10-42	400			

Page 4 of 5

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.





China

Attestation of Conformity

No. N8AUK 089086 0563 Rev. 00

BK-PTL042S-AHC1050ASW; BK-PTL042S-AHC1050ASB; BK-PTL042S-AHC1050ASG	0.25	18.90	10-42	450			PRO-04XX-Y; PRO-R4XX-Y; JB4; XTS4200-2
		21.00	10-42	500			
		23.10	10-42	550			
		25.20	10-42	600			
		27.30	10-42	650			
		29.40	10-42	700			
		12.60	10-42	300	55	85	PRO-0410; 25-XX-Y; 26-XX-Y; 19-XX-Y; PRO-04XX-Y; PRO-R4XX-Y; JB4; XTS4200-2
		14.70	10-42	350			
		16.80	10-42	400			
		18.90	10-42	450			
		21.00	10-42	500			
		23.10	10-42	550			
		25.20	10-42	600			
		27.30	10-42	650			
		29.40	10-42	700			
		31.50	10-42	750			
		33.60	10-42	800			
		35.70	10-42	850			
		37.80	10-42	900			
		39.90	10-42	950			
		42.00	10-42	1000			
		42.00	10-40	1050			

Page 5 of 5

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**

TUV®