



Product Service

Attestation of Conformity

No. E8A 089086 0654 Rev. 00

Holder of Attestation: **BOKE Drivers Co., Ltd.**
2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic controlgear for LED modules
(LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402502601

Date, 2025-07-18

(Laurent Yuan)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. E8A 089086 0654 Rev. 00

Model(s):

BK-BPL040S-AHC1050AS; BK-BPL040S-AHCXXXXAS;
 BK-BPL040S-AHCXXXXA; BK-DPL036S-AHC0900AD;
 BK-DPL036S-AHC0900ADP; BK-DPL036S-AHC0900ADN;
 BK-BPL036S-AHC0900AN; BK-DPL036S-AHCXXXXAD;
 BK-DPL036S-AHCXXXXADP; BK-DPL036S-AHCXXXXADN;
 BK-BPL036S-AHCXXXXAN; BK-DCL010S-AHA0700ADN;
 BK-DCL010S-AHAXXXXADN; BK-BCL010S-AHA0700AN;
 BK-BCL010S-AHAXXXXAN
 ('XXXX'=0100-1050 indicates rated output current (I_{rated}) 0.10-1.05A, in steps of 0.01A)

Trade name:

BOKE



Description of

Object:

Rated Input Voltage: 200-240V AC/DC
 Rated Frequency: 0/50/60Hz
 Rated Input Current: See below table for details
 Rated Output: See below table for details
 Protection against Electric Shock: Class II (with endcap); SELV

Tested according to:

EN IEC 55015:2019/A11:2020
 EN IEC 61000-3-2:2019/A2:2024
 EN 61000-3-3:2013/A2:2021
 EN IEC 61547:2023



Product Service

Attestation of Conformity

No. E8A 089086 0654 Rev. 00

Model	Rated Input Current (A) Max.	P _{rated} (W) Max.	Output Voltage (VDC)	I _{rated} (mA)	U _{out} (VDC)
BK-BPL040S-AHC1050AS	0.23	14.70	3-49	300	59
		17.15	3-49	350	
		19.60	3-49	400	
		22.05	3-49	450	
		24.50	3-49	500	
		26.95	3-49	550	
		29.40	3-49	600	
		31.85	3-49	650	
		34.30	3-49	700	
		36.75	3-49	750	
		36.00	3-45	800	
		38.25	3-45	850	
		39.60	3-44	900	
		39.90	3-42	950	
		40.00	3-40	1000	
		39.90	3-38	1050	
BK-BPL040S-AHCXXXXAS	0.23	4.9-40.00	3-49	100-1040	59
BK-BPL040S-AHCXXXXA	0.23	4.9-40.00	3-49	100-1050	59
BK-DPL036S-AHC0900AD BK-DPL036S-AHC0900ADP	0.21	7.50	6-50	150	59
		10.00	6-50	200	
		12.50	6-50	250	
		15.00	6-50	300	
		17.50	6-50	350	
		20.00	6-50	400	
		22.50	6-50	450	
		25.00	6-50	500	
		27.50	6-50	550	
		30.00	6-50	600	
		32.50	6-50	650	
		35.00	6-50	700	
		36.00	6-48	750	
		36.00	6-45	800	
		35.70	6-42	850	
		36.00	6-40	900	
BK-DPL036S-AHC0900ADN	0.21	36.00	6-50	100-900	59
BK-BPL036S-AHC0900AN	0.21	36.00	6-50	100-900	59
BK-DPL036S-AHCXXXXAD BK-DPL036S-AHCXXXXADP BK-DPL036S-AHCXXXXADN BK-BPL036S-AHCXXXXAN	0.21	5-36.00	6-50	100-890	59
BK-DCL010S-AHA0700ADN	0.08	10	2.5-42	100-700	59
BK-DCL010S-AHAXXXXADN	0.08	4.2-10	2.5-42	100-690	59
BK-BCL010S-AHA0700AN	0.08	10	3-42	100-700	59
BK-BCL010S-AHAXXXXAN	0.08	4.2-10	3-42	100-690	59

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.