



Product Service

Attestation of Conformity

No. N8A 089086 0610 Rev. 00

Holder of Attestation: **BOKE Drivers Co., Ltd.**
 2nd and 3rd Floor, No.51, Xihuan 5th Road
 South District
 528455 Zhongshan City, Guangdong
 PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic controlgear for LED modules
(LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 211-901589-000

Date, 2025-03-03

(Taylor Yao)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 089086 0610 Rev. 00

Model(s):

BK-MML022-A0600AMP;
 BK-MML022-AXXXXAMP;
 BK-MML040-A1100AMP;
 BK-MML040-AXXXXAMP;
 BK-PHL022-CXXXXA;
 BK-PHL040-CXXXXA ('XXXX'=0150-1100 indicates
 rated output current (I_{rated}) 150-1100mA, in steps
 of 10mA)

Brand:

BOKE



Parameters:

Rated Input Voltage: 200-240V AC/DC
 Rated Frequency: 0/50/60Hz
 Rated Input Current: See below table for details
 Rated Output: See below table for details
 Protection against Electric Shock: Class I; SELV
 Degree of Protection: IP65/IP67
 Method of Installation: Independent
 Type of Output: Constant current type
 ta: 60°C
 tc: See below table for details

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not
 allow for CE marking. After preparation of the necessary documentation and establishing compliance
 to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE
 marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 089086 0610 Rev. 00

Model	Rated Input Current (A) Max.	Output Voltage (VDC)	I _{rated} (mA)	P _{rated} (W) Max.	U _{out} (VDC)	tc (°C)
BK-MML022-A0600AMP	0.14	24-42	150-600	23.1	59	80
BK-MML022-AXXXXAMP	0.14	24-42	150-590	6.3-23.1	59	80
BK-MML040-A1100AMP	0.24	24-42	150-1100	42	59	80
BK-MML040-AXXXXAMP	0.24	24-42	150-1090	6.3-42	59	80
BK-PHL022-CXXXXA	0.13	28-38	560-600	21.28-22.8	50	90
		28-40	510-550	20.4-22		
		28-42	150-500	6.3-21		
BK-PHL040-CXXXXA	0.25	28-38	1060-1100	40.28-41.8	50	90
		28-40	1010-1050	40.4-42		
		28-42	500-1000	21-42		

Tested according to:

EN 61347-2-13:2014/A1:2017
EN 61347-1:2015/A1:2021
EN 62493:2015/A1:2022