



China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

Holder of Attestation: **BOKE Drivers Co., Ltd.**
2nd and 3rd Floor, No.51, Xihuan 5th Road
South District
528455 Zhongshan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Electronic controlgear for LED modules
(LED Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Electromagnetic Compatibility Regulations 2016 relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the regulation and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 657402204602UK

Date, 2025-06-26

(Laurent Yuan)

Page 1 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA**

TÜV®



China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

Model(s):

BK-BEN022-A0350AS; BK-BEN022-AxxxxAR;
 BK-BEN022-AxxxxA; BK-BEN040-A0350AS;
 BK-BEN040-AxxxxAR; BK-BEN040-AxxxxA;
 BK-BEN060-A0350AS; BK-BEN060-AxxxxAR;
 BK-BEN060-AxxxxA; BK-DEN075-A0450Ad;
 BK-DEN075-A0450ADP; BK-DEN075-A0450ADF;
 BK-DEN075-A0450ADE; BK-DEN075-A0450ADPE;
 BK-DEN075-A0450ADFE; BK-DEN100-A0800Ad;
 BK-DEN100-A0800ADP; BK-DEN100-A0800ADF;
 BK-DEN100-A0800ADE; BK-DEN100-A0800ADPE;
 BK-DEN100-A0800ADFE; BK-BEN080-A0550AS;
 BK-BEN080-AxxxxAS; BK-BEN080-AxxxxAR;
 BK-BEN080-AxxxxA; BK-DBN080S-A0700AD;
 BK-DBN080S-A0700ADP; BK-DBN080S-A0700ADN;
 BK-DBN080S-AxxxxADR; BK-DBN080S-AxxxxADPR;
 BK-DBN080S-AxxxxAD; BK-DBN080S-AxxxxADP;
 BK-DBN080S-AxxxxADN; BK-DYN040S-A0400AD;
 BK-DYN040S-A0400ADP; BK-DYN040S-A0400ADN;
 BK-DYN040S-AxxxxADR; BK-DYN040S-AxxxxADPR;
 BK-DYN040S-AxxxxAD; BK-DYN040S-AxxxxADP;
 BK-DYN040S-AxxxxADN; BK-DYN080S-A0550AD;
 BK-DYN080S-A0550ADP; BK-DYN080S-A1050AD;
 BK-DYN080S-A1050ADP; BK-DYN080S-A1050ADN;
 BK-DYN080S-AxxxxADR; BK-DYN080S-AxxxxADPR;
 BK-DYN080S-AxxxxAD; BK-DYN080S-AxxxxADP;
 BK-DYN080S-AxxxxADN
 ('xxxx'=0050-1040 indicates rated output current (I_{rated}) 0.05-1.04A, in steps of 0.01A)

Trade name:

BOKE



Description of

Object:

Rated Input Voltage: 200-240V AC/DC

Rated Frequency: 0/50/60Hz

Rated Input Current: See below table for details

Rated Output: See below table for details

Protection against Electric Shock: Class I (with endcap); Auto-wound

Page 2 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.





China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

**Tested
according to:**

EN IEC 55015:2019/A11:2020
EN IEC 61000-3-2:2019/A2:2024
EN 61000-3-3:2013/A2:2021
EN IEC 61547:2023

Page 3 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

TÜV SÜD Certification and Testing (China) Co., Ltd. Floor 1-4, Building B, No.37, Tuanjie Road(Middle), Xishan Economic and Technological Development Zone, Wuxi, Jiangsu, P.R. China

**UK
CA**

TÜV®



China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

Model	Rated Input Current (A) Max.	Output voltage (VDC)	I _{rated} (mA)	P _{rated} (W) Max.	U _{out} (VDC)
BK-BEN022-A0350AS	0.135	39-72	200	14.4	150
		39-72	250	18.0	
		39-72	300	21.6	
		39-65	350	22.75	
BK-BEN022-AxxxxAR BK-BEN022-AxxxxA	0.135	39-72	100-300	21.6	150
		39-65	310-350	22.75	
BK-BEN040-A0350AS	0.225	54-114	200	22.8	150
		54-114	250	28.5	
		54-114	300	34.2	
		54-114	350	39.9	
BK-BEN040-AxxxxAR BK-BEN040-AxxxxA	0.225	54-114	100-350	39.9	150
BK-BEN060-A0350AS	0.34	100-200	200	40.0	250
		100-200	250	50.0	
		100-200	300	60.0	
		100-172	350	60.2	
BK-BEN060-AxxxxAR BK-BEN060-AxxxxA	0.34	100-200	100-300	60.0	250
		100-172	310-350	60.2	
BK-DEN075-A0450Ad BK-DEN075-A0450ADP BK-DEN075-A0450ADF BK-DEN075-A0450ADE BK-DEN075-A0450ADPE BK-DEN075-A0450ADFE	0.41	54-200	100	20.0	300
		54-200	120	24.0	
		54-200	135	27.0	
		54-200	150	30.0	
		54-200	175	35.0	
		54-200	200	40.0	
		54-200	225	45.0	
		54-200	250	50.0	
		54-200	275	55.0	
		54-200	300	60.0	
		54-200	325	65.0	
		54-200	350	70.0	
		54-200	375	75.0	
		54-190	400	76.0	
BK-DEN100-A0800Ad BK-DEN100-A0800ADP BK-DEN100-A0800ADF BK-DEN100-A0800ADE BK-DEN100-A0800ADPE BK-DEN100-A0800ADFE	0.53	54-180	425	76.5	320
		54-170	450	76.5	
		54-200	250	50.0	
		54-200	275	55.0	
		54-200	300	60.0	
		54-200	325	65.0	
		54-200	350	70.0	
		54-200	375	75.0	
		54-200	400	80.0	
		54-200	425	85.0	
		54-200	450	90.0	
		54-200	500	100.0	
		54-181	550	99.55	
		54-166	600	99.6	
		54-153	650	99.45	
		54-142	700	99.4	

Page 4 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**



China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

		54-133	750	99.75	
		54-125	800	100.0	
BK-BEN080-A0550AS	0.433	50-216	200	43.20	250
		50-216	250	54.00	
		50-216	300	64.80	
		50-216	350	75.60	
		50-200	400	80.00	
		50-177	450	79.65	
		50-160	500	80.00	
		50-145	550	79.75	
BK-BEN080-AxxxxAS	0.433	50-216	100-350	21.6-75.60	250
		50-200	360-400	72.0-80.00	
		50-177	410-450	72.57-79.65	
		50-160	460-500	73.6-80.00	
		50-145	510-540	73.95-78.3	
BK-BEN080-AxxxxAR BK-BEN080-AxxxxA	0.433	50-216	100-350	21.6-75.60	250
		50-200	360-400	72.0-80.00	
		50-177	410-450	72.57-79.65	
		50-160	460-500	73.6-80.00	
		50-145	510-550	73.95-79.75	
BK-DBN080S-A0700AD BK-DBN080S-A0700ADP	0.44	50-250	100	25.00	300
		50-250	150	37.50	
		50-250	200	50.00	
		50-250	250	62.50	
		50-250	300	75.00	
		50-228	350	79.80	
		50-200	400	80.00	
		50-177	450	79.65	
		50-160	500	80.00	
		50-145	550	79.75	
		50-139	575	79.93	
		50-133	600	79.80	
		50-128	625	80.00	
		50-123	650	79.95	
		50-118	675	79.65	
		50-115	700	80.50	
BK-DBN080S-A0700ADN	0.44	50-250	100-700	80.50	300
BK-DBN080S-AxxxxADR BK-DBN080S-AxxxxADPR	0.44	50-250	100-700	25.00-80.50	300
BK-DBN080S-AxxxxAD BK-DBN080S-AxxxxADP BK-DBN080S-AxxxxADN	0.44	50-250	100-690	25.00-80.50	300
BK-DYN040S-A0400AD BK-DYN040S-A0400ADP	0.22	50-250	50	12.50	300
		50-250	75	18.75	
		50-250	100	25.00	
		50-250	125	31.25	
		50-250	150	37.50	
		50-228	175	39.90	
		50-200	200	40.00	
		50-177	225	39.83	
		50-160	250	40.00	

Page 5 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**

TÜV®



China

Attestation of Conformity

No. E8AUK 089086 0276 Rev. 01

		50-145	275	39.88	
		50-133	300	39.90	
		50-123	325	39.98	
		50-114	350	39.90	
		50-106	375	39.75	
		50-100	400	40.00	
BK-DYN040S-A0400ADN	0.22	50-250	50-400	40.00	300
BK-DYN040S-AxxxxADR BK-DYN040S-AxxxxADPR	0.22	50-250	50-400	12.5-40.00	300
BK-DYN040S-AxxxxAD BK-DYN040S-AxxxxADP BK-DYN040S-AxxxxADN	0.22	50-250	50-390	12.5-40.00	300
BK-DYN080S-A0550AD BK-DYN080S-A0550ADP	0.44	50-250	100	25.00	300
		50-250	150	37.50	
		50-250	200	50.00	
		50-250	250	62.50	
		50-250	275	68.75	
		50-250	300	75.00	
		50-246	325	79.95	
		50-228	350	79.80	
		50-213	375	79.88	
		50-200	400	80.00	
		50-188	425	79.90	
		50-177	450	79.65	
		50-168	475	79.80	
		50-160	500	80.00	
		50-152	525	79.80	
BK-DYN080S-A1050AD BK-DYN080S-A1050ADP	0.44	50-145	550	79.75	300
		50-250	100	25.00	
		50-250	200	50.00	
		50-250	300	75.00	
		50-200	400	80.00	
		50-160	500	80.00	
		50-145	550	79.75	
		50-133	600	79.80	
		50-123	650	79.95	
		50-114	700	79.80	
		50-106	750	79.50	
		50-100	800	80.00	
		50-94	850	79.90	
		50-88	900	79.20	
		50-84	950	79.80	
		50-80	1000	80.00	
		50-77	1050	80.85	
BK-DYN080S-A1050ADN	0.44	50-250	100-1050	80.85	300
BK-DYN080S-AxxxxADR BK-DYN080S-AxxxxADPR	0.44	50-250	100-1050	25.0-80.85	300
BK-DYN080S-AxxxxAD BK-DYN080S-AxxxxADP	0.44	50-250	100-540	25.0-80.85	300
BK-DYN080S-AxxxxADN	0.44	50-250	560-1040	80.85	300
BK-DYN080S-AxxxxADN	0.44	50-250	100-1040	25.0-80.85	300

Page 6 of 6

This Attestation does not replace the regulatory UK Declaration of Conformity (DoC) and does not allow for UKCA marking. After preparation of the necessary technical documentation and establishing compliance to requirements of all applicable regulations, the manufacturer may sign a DoC and apply the UKCA marking. The DoC is issued under the sole responsibility of the manufacturer.

**UK
CA**